

WEST**Freeform Search****Database:**

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:

L47 and (divided)

Display: 10 **Documents in Display Format:** TI **Starting with Number** 1**Generate:** ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Help

Logout

Interrupt

Main Menu

Show S Numbers

Edit S Numbers

Preferences

Cases

Search History**DATE:** Tuesday, March 05, 2002 [Printable Copy](#) [Create Case](#)**Set Name Query**
side by side**Hit Count Set Name**
result set

DB=USPT; PLUR=YES; OP=OR

<u>L59</u>	L47 and (divided)	1	<u>L59</u>
<u>L58</u>	L47 and (sub\$)	1	<u>L58</u>
<u>L57</u>	L47 and ((profil\$ or cluster\$) same tables)	3	<u>L57</u>
<u>L56</u>	L47 and (profil\$ same tables)	2	<u>L56</u>
<u>L55</u>	L47 and tables	6	<u>L55</u>
<u>L54</u>	L47 and combin\$	7	<u>L54</u>
<u>L53</u>	L47 and merg\$	0	<u>L53</u>
<u>L52</u>	L47 and snapshot\$	0	<u>L52</u>
<u>L51</u>	L47 and profil\$	6	<u>L51</u>
<u>L50</u>	L47 and cube	0	<u>L50</u>
<u>L49</u>	L47 and (telephone adj calls)	1	<u>L49</u>

<u>L48</u>	L47 and (telephone)	6	<u>L48</u>
<u>L47</u>	l46 or l40	7	<u>L47</u>
<u>L46</u>	5907831[pn]	1	<u>L46</u>
<u>L45</u>	l1 and ((behav\$) same (misuse or fraud\$))	11	<u>L45</u>
<u>L44</u>	l1 and ((behav\$ adj3 profil\$) and fraud\$)	1	<u>L44</u>
<u>L43</u>	l1 and ((behav\$ adj3 profil\$) and fraud)	1	<u>L43</u>
<u>L42</u>	L1 and fraud\$	78	<u>L42</u>
<u>L41</u>	L40 and fraud\$	0	<u>L41</u>
<u>L40</u>	l6 or l39	6	<u>L40</u>
<u>L39</u>	6341267[pn]	1	<u>L39</u>
<u>L38</u>	l1 and ((behav\$ adj3 profil\$) and probability)	5	<u>L38</u>
<u>L37</u>	l1 and ((behav\$ adj3 profil\$) same probability)	0	<u>L37</u>
<u>L36</u>	l6 and (statistic\$)	5	<u>L36</u>
<u>L35</u>	l6 and (probab\$)	2	<u>L35</u>
<u>L34</u>	l6 and (probability)	0	<u>L34</u>
<u>L33</u>	l6 and (probability adj distributions)	0	<u>L33</u>
<u>L32</u>	l6 and server	4	<u>L32</u>
<u>L31</u>	l6 and commercial\$	1	<u>L31</u>
<u>L30</u>	l6 and (olap or (online adj analytical adj processing))	1	<u>L30</u>
<u>L29</u>	l6 and (data same (segment\$))	2	<u>L29</u>
<u>L28</u>	l6 and (data same (cube or group\$))	5	<u>L28</u>
<u>L27</u>	l6 and (data same (cluster or cube or group\$))	5	<u>L27</u>
<u>L26</u>	l6 and (similar\$ or patterns or trends)	5	<u>L26</u>
<u>L25</u>	l6 and (defin\$ same (behavi\$ or pattern or similar\$ or profil\$ or habits or trends))	4	<u>L25</u>
<u>L24</u>	l6 and profil\$	5	<u>L24</u>
<u>L23</u>	l6 and (((database or (data adj (warehous\$ or repositor\$)))) same cluster)	1	<u>L23</u>
<u>L22</u>	l6 and ((records and (database or (data adj (warehous\$ or repositor\$)))) same cluster)	0	<u>L22</u>
<u>L21</u>	l6 and (circuit\$)	2	<u>L21</u>
<u>L20</u>	l6 and (processing)	3	<u>L20</u>
<u>L19</u>	L6 and records	5	<u>L19</u>
<u>L18</u>	l6 and (process\$ adj5 (records))	0	<u>L18</u>
<u>L17</u>	l6 and (process\$ adj2 (records))	0	<u>L17</u>
<u>L16</u>	l6 and (records and ((data adj (warehous\$ or repositor\$))))	1	<u>L16</u>
<u>L15</u>	l6 and (records and (database or (data adj (warehous\$ or repositor\$))))	5	<u>L15</u>

<u>L14</u>	l6 and (records same (database or (data adj (warehous\$ or repositor\$))))	3	<u>L14</u>
<u>L13</u>	l6 and profil\$	5	<u>L13</u>
<u>L12</u>	L11 and (pattern or reoccur\$ or behavi\$)	3	<u>L12</u>
<u>L11</u>	L6 and (records same (database or (data adj (warehous\$ or repositor\$))))	3	<u>L11</u>
<u>L10</u>	L6 and (records)	5	<u>L10</u>
<u>L9</u>	L6 and (customer adj2 records)	2	<u>L9</u>
<u>L8</u>	L6 and (pattern or reoccur\$ or behavi\$)	5	<u>L8</u>
<u>L7</u>	L6 and (pattern or reoccur\$)	5	<u>L7</u>
<u>L6</u>	(6128624 or 5974396 or 5991735 or 5956693 or 5848396)[pn]	5	<u>L6</u>
<u>L5</u>	(5671279 5701400 5710887 5729594 5809144 5812668 5819092 5862223)![pn]	8	<u>L5</u>
<u>L4</u>	(5724521 5754939 5774868 5848396 5930764 5933811 5956693 5966695 5991735 5995943 6055510 6073112 6182050)![pn]	13	<u>L4</u>
<u>L3</u>	L2 and (((data adj (repositor\$ or warehouse or hold\$ or stor\$)) same records)	3	<u>L3</u>
<u>L2</u>	l1 and (behavio\$ adj patterns)	12	<u>L2</u>
<u>L1</u>	((705/10 705/11 705/7 705/1)!.CCLS. (or/)!.CCLS.)	1073	<u>L1</u>

END OF SEARCH HISTORY